

A1
cancel
data stored in the CCD to the attached computer. For high intensity signals, a photodiode array
in place of a PMT array or a CCD is feasible.--

On page 7, please delete the paragraph starting at line 13 and replace it with the following paragraph:

A2
--*Peptide or protein*, according to the present invention, means a chemical compound in which a string of at least three amino acids are linked together by peptide bonds. Inventive peptides preferably contain only natural amino acids, although non-natural amino acids (*i.e.*, compounds that do not occur in nature but that can be incorporated into a polypeptide chain) and/or amino acid analogs as are known in the art may alternatively be employed. Also, one or more of the amino acids in an inventive peptide may be modified, for example, by the addition of a chemical entity such as a carbohydrate group, a phosphate group, a farnesyl group, an isofarnesyl group, a fatty acid group, a linker for conjugation, functionalization, or other modification, *etc.*--

In the claims:

Please amend the claims as follows. For the convenience of the Examiner, all of the claims, in the form they will take after entrance of the present Amendment, are attached as Appendix A.

- A3
1. (Amended) An array of at least two different [agents] peptides or proteins attached to an optical fiber, wherein the array has linear organization;
wherein each [agent] peptide or protein is attached to a pre-determined portion of the optical fiber; and
wherein the peptides and proteins are not intermediates leading to a single final product.

Please add the following new claims:

- A4
--30. An array of at least two different peptides or proteins attached to an optical fiber, wherein the array has linear organization; and

wherein the peptides or proteins are not intermediates leading to a single final product.

31. An array of at least two different peptides or proteins attached to an optical fiber, wherein the array has linear organization;

and wherein the array is prepared by a method which comprises steps of:

providing an optical fiber having reactive functionalities;

subjecting said fiber to a first set of reagents or reaction conditions, wherein each of said first reagents or reaction conditions cycles with a first specific spatial period along the support, and wherein each individual first reagent or reaction condition in the set is identified as a function of a unique distance or time, so that a first set of peptides or proteins is produced simultaneously on the array, each peptide or protein within first set being related to all other peptides or proteins in the first set as a product of the first set of reagents or reaction conditions, and being separated from other first set peptides or proteins by the first specific spatial period;

and

subjecting said fiber to one or more additional sets of reagents or reaction conditions, wherein each of said additional reagents or reaction conditions cycles with a second specific spatial period along the support, and wherein each individual reagent or reaction conditions in said one or more additional sets is identified as a second function of unique distance or time, so that at least one additional set of peptides or proteins is produced simultaneously on the array, each peptide or protein within the additional set being related to all other peptides or proteins in the additional set as a product of the additional set of reagents or reaction conditions, and being separated from other additional set peptides or proteins by the second specific spatial period, until a desired array of peptides or proteins is obtained.

32. An array of at least two different peptides or proteins attached to an optical fiber, wherein the array has linear organization;

wherein the array is prepared by a method which comprises the steps of:

- a) providing an optical fiber having reactive functional groups,
- b) winding the fiber around a geometric template,
- c) dividing the surface of the template lengthwise into regions,

Sub
32
cont

d) subjecting each region to one or more reagents or reaction conditions so as to attach reactive moieties or to modify the functional groups, and thereby to simultaneously create a set of peptides or proteins on the fiber in which each peptide or protein in a set is related to all other peptides or proteins in the set as a product of the reagents or reaction conditions that the region was subjected to; and

e) repeating steps (b) through (d) until the desired library is obtained.

33. The array of claim 32, wherein the reactive moieties have additional functional groups which are masked by protecting groups, and wherein these protecting groups are removed prior to treatment with one or more reagents or reaction conditions.

AY
cont

34. The array of claim 1, wherein the identity of each peptide or protein in said array is uniquely specified by its location on the fiber.

35. The array of claim 1, wherein each of said peptides or proteins is synthesized from one or more reagents, and wherein each of said one or more reagents is added at a specific repeat frequency, defined at a specific location on the fiber.

36. The array of claim 1, wherein the peptides or proteins are arranged one-dimensionally.

37. The array of claim 1, wherein the peptides or proteins are arranged linearly on the fiber.

38. The array of claim 1, wherein at least one peptide or protein is present at at least two different positions on the fiber.

39. The array of claim 1, wherein at least two peptides or proteins are each present at at least two different positions on the fiber, successive occurrences of each peptide or protein being separated by a constant interval.

40. The array of claim 1, wherein at least one peptide or protein is present at at least three different positions on the fiber, successive occurrences of the peptide or protein being separated by a constant interval.

41. The array of claim 1, wherein all peptides or proteins are present at at least two different positions on the fiber, successive occurrences of each peptide or protein being separated by a constant interval.

42. The array of claim 1, wherein each different peptide or protein is present at only one position on the fiber.

43. The array of claim 1, wherein the fiber has at least two distinct portions and the array comprises at least a first synthesis product attached to a first portion and a second synthesis product attached to a second portion.

44. The array of claim 43, wherein one or both of said first and second synthesis products include a plurality of distinct chemical structures.

45. The array of claim 43, wherein one or both of said first and second synthesis products include single chemical structures.

46. The array of claim 43, wherein both of said first and second synthesis products include single chemical structures.

47. The array of claim 1, wherein the peptides or proteins are not fluorescent.

48. The array of claim 1, wherein at least one peptide or protein is not fluorescent.

49. The array of claim 1, wherein the peptides or proteins are synthesized on the optical fiber.

50. An array of at least two different peptides or proteins attached to an optical fiber, wherein the array has linear organization; and

wherein the array is prepared by a method which comprises steps of:

providing an optical fiber having reactive functionalities;

subjecting a first set of portions of the fiber to a first set of reaction conditions or reagents, each portion within said first set of portions being separated from each other by a first specific spatial period so that peptides or proteins that are related to one another as products of exposure to the same first set of reaction conditions are present periodically on the fiber separated from one another by the first specific spatial period; and

subjecting a second set of portions of the fiber to a second set of reaction conditions or reagents, each portion within said second set of portions being separated from each other by a second specific spatial period so that peptides or proteins that are related to one another as products of exposure to the same second set of reaction conditions are present periodically on the fiber separated from one another by the second specific spatial period, until a desired array of peptides or proteins is obtained.--

Sub
B4
A4
Concl

Please cancel claims 2, 5, and 14-29, without prejudice.

Remarks

The Specification has been amended as requested by the Examiner. A description for both views in Figure 16 has been provided, and the embedded hyperlink on page 7 has been removed.

Claims 1-29 are pending in the Application, and claims 2, 5, and 14-29 have been withdrawn from further consideration by the Examiner, 37 CFR §1.142(b), as being drawn to non-elected inventions. Claims 1, 3, 4, 6-8, 10, 11, and 13 stand rejected. Claim 1 is amended as above. New claims 30-50 are added. Claims 2, 5, and 14-29 have been canceled. No new matter is added to the Specification by these changes. Applicant respectfully requests